



XLINE

The LIYU INTERNATIONAL logo, consisting of the stylized 'L' icon and the text 'LIYU INTERNATIONAL', is located to the right of the 'XLINE' text.

Liyu International Factory
No.33,TianZhi Road,High and New tech.Development
Area Hefei Anhui China 230088
www.liyuprinter.com

Liyu International Europe Showroom
Susuz Mahallesi Dempa Sanayi Sitesi 3793.
Cadde No: 34, 06105 Yenimahalle/Ankara/Turkey
www.cmykreklam.com

"All technical details in this catalog are subject to change by Liyu"

Liyu International Europe Showroom
Diessemer Bruch 100 b-c, 47805 Krefeld, Germany
www.liyuprinter.com
+49 173 3721905

XLINE HYBRD




DESIGN
NEW
VISION

XLINE



RICOH



Technical Specifications

Print Heads	Ricoh Gen5/Gen6
Printhead Quantity	9 head & 16 head carriage versions
Drop Volume	Gen5 - 7 Pl. / Gen6 - 5 Pl.
Color Scale	CMYK + White + Lc + Lm + Varnish
INK Type	UV - LED
Drying System	LED
Print Width	2100 mm
Print Height	50 mm
Print Resolution	2400 dpi
Printing Speed Up to	65m²/h 10 head model - 85m²/h 16 head model
Rip Software	PhotoPrint / Caldera (Opt.)
Hardware	-
Power Requirement	230v (+/-) 10% 40A / 50HZ / 60HZ
Machine Size (With Table)	4394mm x 1675mm x 1450mm
Machine Weight	1300 kg.